# BENEFIT FROM OPERATING AT LOW PRESSURE IN BARIATRIC PROCEDURES

We understand that bariatric procedures have unique hurdles. **The AirSeal® intelligent flow system can help**.

Challenging the standards of conventional insufflation, the AirSeal iFS enables your patients to benefit from low pressure. Clinical studies suggest utilizing low-pressure insufflation with AirSeal improved anesthesia parameters and reduce postoperative pain.[1-8]




ConMed

## Low Pressure Benefits for **High BMI Patients**

Studies show patients who undergo surgery at low pressure with the AirSeal iFS experience:

- Reduced peak airway pressure [1]
- Reduced $ETCO_2$ [1]
- Reduced 30-day ER visits and readmissions [2]

**AMIT TAGGAR**, MD

*AirSeal robotic solution makes it easier... Specifically, during removal of the stomach or if you get into a bleed during a robotic-assisted gastric sleeve... AirSeal robotic solution ensures you do not lose pneumoperitoneum.*

**GABRIEL EDUARDO MENA**, MD

*I have noticed a significant decrease in peak inspiratory airway pressure and mean airway pressure while using the AirSeal system. These benefits are extremely important when taking care of obese patients who have increased airway resistance and decreased pulmonary compliance from baseline.*




## Low Pressure Benefits for **Surgical Procedures**

Operating with AirSeal iFS can improve procedural efficiency and reduce costs by:

- Providing stable pneumoperitoneum through constant pressure control [9]
- Reducing procedure times [4]
- Reducing PACU times and length of stay [4]

**RICH DiCICCO**, MD, FASC, FASMBS

*For my robotic-assisted roux-en-y gastric bypass, the 8mm AirSeal access port allows for constant low pressure control and easy passage of suture.*


Seeing is believing.
Explore the AirSeal system offerings:

**www.CONMED.com/AirSeal**

**NEW**

The AirSeal® robotic solution integrates seamlessly with the da Vinci™ X/Xi, without requiring an assist port. Now you can have the best of both worlds. **Learn more at www.conmed.com/ARS**

This material provides information regarding how to use CONMED medical devices and instruments in surgical procedures. It is not medical advice and each surgeon should use their own professional judgment before using to treat a particular patient. Surgeons should be trained in the use of such devices before surgery and should always refer to the product labeling including the Instructions for Use before using any medical device.

Dr. Taggar and Dr. DiCicco are paid CONMED consultants.


1. Saway JP, McCaul M, Mulekar MS, McMahon DP, Richards WO. Review of Outcomes of Low Verses Standard Pressure Pneumoperitoneum in Laparoscopic Surgery. Am Surg. 2022;88(8):1832-1837. doi:10.1177/00031348221084956
2. Ferroni MC, Abaza R. Feasibility of robot-assisted prostatectomy performed at ultra-low pneumoperitoneum pressure of 6 mmHg and comparison of clinical outcomes vs standard pressure of 15 mmHg. BJU Int. 2019;124(2):308-313. doi:10.1111/bju.14682
3. Ramshaw B, Vetrano V, Jagadish M, Forman B, Heidel E, Mancini M. Laparoscopic approach for the treatment of chronic groin pain after inguinal hernia repair : Laparoscopic approach for inguinodynia. Surg Endosc. 2017;31(12):5267-5274. doi:10.1007/s00464-017-5600-3
4. Ramshaw B, Forman B, Heidel E, Dean J, Gamenthaler A, Fabian M. A Clinical Quality Improvement (CQI) Project to Improve Pain After Laparoscopic Ventral Hernia Repair. Surg Technol Int. 2016;29:125-130.
5. Abaza R, Martinez O, Ferroni MC, Bsatee A, Gerhard RS. Same Day Discharge after Robotic Radical Prostatectomy. J Urol. 2019;202(5):959-963. doi:10.1097/JU.0000000000000353
6. Foley CE, Ryan E, Huang JQ. Less is more: clinical impact of decreasing pneumoperitoneum pressures during robotic surgery. J Robot Surg. 2021;15(2):299-307. doi:10.1007/s11701-020-01104-4
7. Buda A, Di Martino G, Borghese M, et al. Low-Pressure Laparoscopy Using the AirSeal System versus Standard Insufflation in Early-Stage Endometrial Cancer: A Multicenter, Retrospective Study (ARIEL Study). Healthcare (Basel). 2022;10(3):531. Published 2022 Mar 14. doi:10.3390/healthcare10030531
8. Celarier S, Monziols S, Célérier B, et al. Low-pressure versus standard pressure laparoscopic colorectal surgery (PAROS trial): a phase III randomized controlled trial. Br J Surg. 2021;108(8):998-1005. doi:10.1093/bjs/znab069
9. Bucur P, Hofmann M, Menhadji A, et al. Comparison of Pneumoperitoneum Stability Between a Valveless Trocar System and Conventional Insufflation: A Prospective Randomized Trial. Urology. 2016;94:274-280. doi:10.1016/j.urology.2016.04.022


CONMED


CONMED Corporation
11311 Concept Blvd.
Largo, FL 33773

Toll Free: 1-866-4CONMED
International: 727-214-3000
www.CONMED.com

customerexperience@conmed.com
internationalorders@conmed.com


©2023 CONMED Corporation, 1049227956 2/23